

Start-up Update

Thank you to all for your dedicated efforts as we work on getting MOST up and running. Study drug should be available centrally at the end of August, and we will ship drug to sites as quickly as possible during the month of September. We appreciate the attention to start-up during this time and look forward to a successful trial kick-off.

Endovascular Therapy Webinar

The MOST Endovascular Therapy Webinar will be **Thursday**, **August 22nd at 1 PM EST**. MOST PIs and site Neurointerventionists should attend this webinar to discuss issues and best practice particular to endovascular therapy for subjects enrolled in MOST.

Protocol Refresher Webinar

The MOST Protocol Refresher Webinar will be **Monday**, **August 26**th **at 2 PM EST**. All individuals participating in the MOST trial are encouraged to attend. We will be discussing important trial updates that have developed since the Investigator Meeting, therefore <u>at least one individual from each participating site should attend</u>.

Study Coordinator Conference Calls will begin in September on the 4th Monday of every month at 2 PM EST.

What tubing set up should be used to administer Vial #2 and Vial #3?

To ensure accurate dosing, the MOST study drug infusions should be administered using a primary tubing set up. Because there is minimal overfill in these vials, the volume loss while priming the IV tubing should be minimized.

Given the limited amount of overfill, particularly for the 0-2 hour infusion in Vial #2, the study drug infusion may stop prematurely because air is introduced into the pump chamber before the intended volume-to-be-infused (VTBI) is delivered. This is likely to occur in heavier weight subjects who receive a larger total VTBI.

To circumvent this issue, we recommend pausing the infusion once the study drug vial is empty and the drip chamber of the tubing is 1/3 full, removing the spike from the vial and inserting into a bag of fluids, then restarting the infusion.

Please reference the MOP section K.3, and the Administration section of the CPS Pharmacy Procedures document for detailed instructions.

Should Vial #3 be spiked with the same tubing set up as Vial #2?

No. Contrary to guidance previously described, study teams should completely remove the primary tubing set up after completion of the 0-2 hour infusion in Vial #2, and use new primary tubing set up for the 2-12 hour infusion in Vial #3.

Training Available

Please disseminate the training modules required for each study team member. After individuals review the training video(s), the associated training test(s) must be completed with a passing score. After successful completion, a certificate will be sent via email. The email should be saved a PDF and uploaded to the regulatory file in WebDCUTM.

WebDCU[™] Training Campus website: <u>https://webdcu.musc.edu/campus/</u>.

A reminder that individuals who attended the Investigator Meeting are not required to complete these modules. Documentation of training will be reconciled by the MOST team.

Clinical Documents Available

The following MOST documents are now available on WebDCUTM under Toolbox \rightarrow Project Documents:

- Manual of Procedures v1.0
- MOP Summary of Changes
- Clinical Performing Site Study Drug Procedures v1.0
- Imaging Core Lab Manual v1.0
- mRS Guidance Manual v1.2
- EVT Flyer v1.0
- Enrollment Cards v1.1
- Case Report Forms
- Pharmacy Order Set Example

Thank you to all the sites who have made MOST a priority and are on track to start enrolling as soon as study drug becomes available. Please see the chart below for complete site readiness progress.

Site Start-up Progress

	Rollinger Band Book City Bau	nter Sites	RelianceAgeanet Ore CtA	Suthed to Street Sites	Roller on 19 and 19 CTA Submission
Sites R01 Case Western Reserve University	~ 4 9° /	Sites Sites R12 University of California San Diego	- A.	Sites R19 University of Pennsylvania	49° ° 49°
Mercy Health - St. Vincent Medical Center		UCSD Health La Jolla		Abington Memorial Hospital	
Reveland Clinic Akron General		UCSD Medical Center - Hillorest		Temple University Hospital	
/VU Healthcare Ruby Memorial Hospital		St. Joseph's Hospital and Medical Center		Hospital of the University of Pennsylvania	
RO2 Columbia University		Ochsner Medical Center		Wellspan Health - Wellspan York Hospital	
WP Columbia University Medical Center		R13 University of California San Francisco		R20 University of Pittsburgh	
VP Weill Cornell Medical Center		Zuckerberg San Francisco General Hospital		UPMC Presbyterian Hospital	
SUNY Upstate Medical University		UCSF Helen Diller Medical Center		UPMC Mercy	
Brong Memorial Hospital		Community Regional Medical Center of Fresno		St. Luke's University Hospital - Bethlehem Campus	
				The University of Vermont Medical Center	
203 Emory University		R14 University of Cincinnati		· · · · · · · · · · · · · · · · · · ·	Casta at Haustan
Grady Memorial Hospital		University of Louisville Hospital		R21 The University of Texas Health Science	ce Center at Houston
R04 Massachusetts General Hospital		University of Cincinnati Medical Center		Memorial Hermann-Texas Med Center	
Beth Israel Deaconess Medical Center		Bethesda North Hospital		Houston Methodist Hospital	
Aassachusetts General Hospital		St. Elizabeth Medical Center South		Baylor University Medical Center at Dallas	
IMASS Memorial Medical Center		St. Elizabeth Hospital		St. John Medical Center	
Boston Medical Center		Mercy Hospital Anderson		R22 University of Utah	
R05 Medical University of South Carolina		Mercy Health West Hospital		Swedish Medical Center	
Greenville Hospital System		Christ Hospital		University of Utah Health	
1USC University Hospital		Good Samaritan Hospital		R23 University of Washington	
806 MedStar Health Research Institute		The Jewish Hospital		Harborview Medical Center	
JVA Medical Center		St Elizabeth Hospital Ft. Thomas		Peace Health Sacred Heart Medical Center	
R07 Icahn School of Medicine at Mount Sin	ai	Miami Valley Hospital		R24 University of Wisconsin	
Nount Sinai Beth Israel		R15 University of Iowa		UW Health University Hospital	
The Mount Sinai Hospital		University of Iow a Hospitals & Clinics		R25 Vanderbilt University Medical Center	
208 Northwestern University		St. Luke's Hospital		Vanderbilt University Medical Center	
oyola University Medical Center		R16 University of Miami		R26 University of Alabama at Birmingham	
Central DuPage Hospital		Jackson Memorial Hospital		UAB Hospital	
Northwestern Memorial Hospital		UF Health Shands Hospital		University of Mississippi Medical Center	
Rush University Medical Center		Sarasota Memorial Hospital		R27 Wake Forest University	
University of Chicago Medical Center		Tampa General Hospital		Wake Forest Baptist Medical Center	
R09 The Ohio State University		Baptist Hospital of Miami		Novant Health Forsyth Medical Center	
DSU Wexner Medical Center		Mayo Clinic Hospital		Novant Health Presbyterian Medical Center	
R10 Stanford University		R17 University of Michigan		R28 The Washington University	
Stanford University Medical Center		Detroit Receiving Hospital		Barnes-Jewish Hospital	
R11 University of California Los Angeles		Henry Ford Hospital		SSM Health St. Louis University Hospital	
Cedars Sinai Medical Center		Mercy Health Saint Mary's		St. Luke's Hospital of Kansas City	
Kaiser Permanente Los Angeles Medical Center		University of Michigan University Hospital		R29 Yale University	
Ronald Reagan UCLA Medical Center		University of Kentucky Hospital		Yale-New Haven Hospital	
Iniversity of New Mexico Hospital		McLaren Flint		Rhode Island Hospital	
larbor-UCLA Medical Center		R18 University of Minnesota		North Shore University Hospital	
PIH Health Hospital - Whittier		University of Kansas Hospital			
		United Hospital			
		Valley Baptist Medical Center - Harlingen			
		Regions Hospital, St. Paul, MN			
		University of Minnesota Medical Center			
		Mayo Clinic Hospital Rochester - St Mary's Campus			